



Vibrating grid type KW



Technical data:

Type	Dimensions			Electrovibrators			Acceptable load Kg	Table surface m ²	Weight Kg
	a	B	H	Quantity	Type	Power			
	mm	mm	mm	Pieces	OEWg	kW			
KW – 7/7	700	700	500	2	- 80B4.10	2 x 0,75 = 1,5	1000	0,49	400
KW – 9/9	900	900	500	2	- 80B4.10	2 x 0,75 = 1,5	1200	0,81	500
KW – 9/12	900	1250	650	2	- 90L4.20	2 x 1,5 = 3	1500	1,125	700
KW – 10/12	1050	1250	650	2	- 90L4.20	2 x 1,5 = 3	1500	1,3	800
KW – 10/20	1050	2000	700	2	- 100L4A.30	2 x 2,2 = 4,4	3000	2,1	1000
KW – 12/16	1250	1650	700	2	- 100L4A.30	2 x 2,2 = 4,4	3000	2,1	1000
KW – 12/20	1250	2000	700	2	- 100L4A.30	2 x 2,2 = 4,4	4000	2,5	1300
KW – 14/20	1400	2000	700	2	- 100L4A.30	2 x 2,2 = 4,4	4000	2,8	1500
KW – 14/25	1400	2500	700	2	- 100L4A.30	2 x 2,2 = 4,4	4000	3,5	1700
KW – 18/20	1800	2000	800	2	- 112M4.45	2 x 4 = 8	4500	3,6	1700
KW – 12/25	1800	2500	800	2	- 112M4.45	2 x 4 = 8	4500	4,5	2200
KW – 20/20	2000	2000	800	2	- 112M4.45	2 x 4 = 8	5000	4,0	2000
KW – 20/25	2000	2500	800	2	- 112M4.45	2 x 4 = 8	5000	5,0	2500
KW – 20/30	2000	3000	800	2	- 112M4.45	2 x 4 = 8	5000	6,0	3000

For the best selection of the equipment please contact our technical office, tel.: +48 77/470 04 97.

Tel./Fax: +48 77 / 474 50 05
Tel./Fax: +48 77 / 474 25 92

www.OFAMA.eu
e-mail: ofama@ofama.eu

OFAMA Sp. z o.o.
ul. Niemodlińska 87
PL, 45-864 Opole